

BIOSTIM

IRON



DEFICIENCY CORRECTORS

Category: Deficiency correctors

Formulation: Soluble Liquid (SL)



Foliar Application

BIOSTIM IRON, prevents and correct deficiencies and imbalances in iron assimilation in crops.

BIOSTIM IRON is formulated with a high content of free L-amino acid to enhance the absorption and translocation of Iron within plant tissues.

BIOSTIM IRON can be used in foliar spraying or diluted in irrigation water, during vegetative crops, specially when symptoms of Iron deficiency are present.

APPLICATION RATES

Crop	RATE FOLIAR		Application
	ml/100 l	l/ha	
Table grapes	200 - 300	2.0 - 4.0	Apply at first symptom of iron deficiencies, repeat as needed at two weeks intervals
Citric, Avocado Mangoes	200 - 300	2.0 - 4.0	Apply at first symptom of iron deficiencies, repeat as needed at two weeks intervals
Kiwi	200 - 300	2.0 - 4.0	Apply at first symptom of iron deficiencies, repeat as needed at two weeks intervals
Berries	200 - 300	2.0 - 4.0	Apply at first symptom of iron deficiencies, repeat as needed at two weeks intervals
Vegetables	200 - 300	2.0 - 4.0	Apply at vegetative development

GUARANTEED ANALYSIS

Element	% w/v
Total Nitrogen (N)	10.96
Iron (Fe)	7.49

Complex with amino acids and carboxylic acids and EDTA

pH: 6.29 / Density: 1.44

Packaging: 20 Litres

CONTACT US:

sales@biogrow.com.au

Melbourne: 03 9566 7252
 W.A: 0419 168 650
 Shepparton: 0428 417 838

Mildura: 0419 250 192