

BIOSTIM

MAGNESIUM



DEFICIENCY CORRECTORS

Category: Deficiency correctors

Formulation: Soluble Liquid (SL)



Foliar Application

BIOSTIM MAGNESIUM, is formulated with specific organic acids to maximise uptake and mobility of the Magnesium in its formulation

BIOSTIM MAGNESIUM contains no chlorides, sulphate or nitrates and has an acidic formulation.

APPLICATION RATES

Crop	RATE	FOLIAR	Application
	ml/100l	l/ha	
Grape, Kiwi	200 - 300	2.0 - 4.0	Apply from 20 cm shoot, repeat as needed
Plum, Peaches, Nectarine	200 - 300	2.0 - 4.0	Apply after petal-falling until colour change, also suitable for post harvest application
Apple, Pear	200 - 300	2.0 - 4.0	Apply once fruit has formed alternating application with BIOSTIM CALCIUM
Citrus, Avocado	200 - 300	2.0 - 4.0	Apply on developing shoots, repeat as needed
Berries	200 - 300	2.0 - 3.0	Apply on developing shoots, repeat as needed
Pineapples	200 - 300	2.0 - 3.0	Apply during the plant development, repeat as needed
Tomato	200 - 300	2.0 - 3.0	Apply after transplant, repeat application every 15 days as needed
Potato	200 - 300	2.0 - 3.0	Apply after emergence, repeat as needed
Vegetables, Curcubits	200 - 300	2.0 - 4.0	Apply after transplnatation, repeat as needed

GUARANTEED ANALYSIS

Element	% w/v
Magnesium (Mg)	7.44

Magnesium 100% complexed with carboxylic acids

pH: 7.10 / Density: 1.23

Packaging: 20 Litres

CONTACT US:

sales@biogrow.com.au

Melbourne: 03 9566 7252
W.A: 0419 168 650
Shepparton: 0428 417 838

Mildura: 0419 250 192